IN THE CLAIMS

Claims 1-7 (cancelled)

- 8 (Currently amended). A An isolated DNA molecule coding for a polypeptide tolerogen which suppresses capable of modulating the autoimmune response of an individual to acetylcholine receptor, comprising residues 61-76 of SEQ ID NO:2 and/or residues 184-210 of SEQ ID NO:2, wherein said polypeptide being is selected from the group consisting of:
- (i) a polypeptide consisting of the amino acid sequence ofSEO ID NO:6;
- (ii) a polypeptide consisting of the amino acid sequence of SEQ ID NO:8;
- (iii) a polypeptide corresponding to consisting of amino
 acid residues 1-121 of SEQ ID NO:2;
- (iv) a polypeptide corresponding to <u>consisting of amino acid</u> residues 1-146 of SEQ ID NO:6;
- (v) a polypeptide corresponding to consisting of amino acid residues 122-210 of SEQ ID NO:2;
- (vi) a polypeptide as in with at least 95% sequence identity to a polypeptide of (i) to (v) or the polypeptide Hα1-210 of SEQ ID NO:2 in which one or more amino acid residues have been-added, deleted or substituted by other amino acid residues in a manner that the resulting polypeptide is capable of suppressing and which suppresses experimental myasthenia gravis in animal models;



- (vii) a fragment of a polypeptide as in (i), (ii), (iv),

 (v), or to (vi), which fragment is capable of suppressing suppresses

 experimental myasthenia gravis in animal models; and
- (viii) a polypeptide comprising two or more fragments as in(vii) fused together with or without a spacer;
- $\frac{(ix)}{(vii)}$ a polypeptide, or a fragment as defined in (i)- $\frac{(viii)}{(vii)}$, or the polypeptide H α 1-210 of SEQ ID NO:2, fused to an additional polypeptide at its N- and/or C-termini; and
- (x) soluble forms, denatured forms, chemical derivatives and salts of a polypeptide or a fragment as defined in (i) (ix).
- 9(Currently amended). A <u>An isolated DNA</u> molecule according to claim 8, being which is selected from the group consisting of:
- (i) a DNA molecule comprising the nucleotide sequence of SEQID NO:5;
- (ii) a DNA molecule comprising the nucleotide sequence of SEQ ID NO:7;
- (iii) a DNA molecule comprising the nucleotide corresponding to sequence of nucleotides 1 to 363 of SEQ ID NO:1;
- (iv) a DNA molecule comprising the nucleotide sequence corresponding of nucleotides 1 to 438 of SEQ ID NO:5;
- (v) a DNA molecule comprising the nucleotide sequence of nucleotides 364 to 630 of SEQ ID NO:1;
- (vi) <u>a_DNA</u> molecules which <u>are_is</u> degenerate, as a result of the genetic code, to <u>the_any_DNA</u> sequences of (i) to (v) and which

codes for a polypeptide coded for by any one of the DNA sequences of (i) to (v);

(x) a DNA molecule comprising two or more fragments of (ix) fused together with or without a spacer, and which codes for a polypeptide capable of suppressing experimental myasthenia-gravis in animal models; and

suppresses experimental myasthenia gravis in animal models;

 $\frac{(\text{xi})}{(\text{viii})}$ a DNA molecule comprising a nucleic acid sequence as defined in (i)- $\frac{(\text{x})}{(\text{vii})}$ or the DNA sequence, SEQ ID NO:1, coding for H α 1-210, fused to additional coding DNA sequences at its 3' and/or 5' end.

10(Currently amended). A An isolated DNA molecule according to claim 9, which comprises the nucleotide sequence of SEQ ID NO:5.

' In re of Appln. No. 09/820,339

11(Currently amended). A An isolated DNA molecule according to claim 9, which comprises the nucleotide sequence of SEQ ID NO:7.

12 (Currently amended). A An isolated DNA molecule according to claim 9, which comprises the nucleotide sequence corresponding to nucleotides 1 to 363 of SEQ ID NO:1.

13 (Currently amended). A An isolated DNA molecule according to claim 9, which comprises the nucleotide sequence of nucleotides 1 to 438 of SEQ ID NO:5.

14 (Currently amended). A An isolated DNA molecule according to claim 9, which comprises the nucleotide sequence of nucleotides 364 to 630 of SEQ ID NO:1.

15 (Currently amended). A <u>An isolated DNA</u> molecule according to claim 9, wherein said additional coding sequence in (xi) codes for glutathione S-transferase (GST) and is fused at the 5' end of said nucleic acid sequence.

16(Currently amended). A replicable expression vehicle vector comprising a DNA molecule according to claim 8.

17(Currently amended). A An isolated prokaryotic or isolated eukaryotic host cell transformed with the replicable expression vehicle vector of claim 16.

18 (Currently amended. A process for preparing a polypeptide eapable of modulating which suppresses the autoimmune response of an individual to acetylcholine receptor, comprising:

(ii) isolating the expressed polypeptide.

19(Original). A process according to claim 18, wherein the expressed polypeptide is a fused polypeptide.

Claims 20-22 (cancelled)

23 (New). An isolated DNA according to claim 8, wherein said polypeptide consists of the amino acid sequence of SEQ ID NO:6.

24 (New). An isolated DNA according to claim 8 wherein said polypeptide consists of the amino acid sequence of SEQ ID NO:8.

25(New). An isolated DNA according to claim 8, wherein said polypeptide consists of amino acid residues 1-121 of SEQ ID NO:2.

26 (New). An isolated DNA according to claim 8, wherein said polypeptide consists of amino acid residues 1-146 of SEQ ID NO:6.

27 (New). An isolated DNA according to claim 8, wherein said polypeptide consists of amino acid residues 122-210 of SEQ ID NO:2.

28(New). An isolated DNA according to claim 8, wherein said polypeptide is (vi).

29(New). An isolated DNA according to claim 8, wherein said polypeptide is (vii).

" In re of Appln. No. 09/820,339

 $30\,(\text{New})$. An isolated DNA according to claim 8, wherein said polypeptide is (viii).



31(New). An isolated DNA according to claim 30, wherein said additional polypeptide is glutathione S-transferase.